

The trusted value of OSRAM Digital Systems continues with Inventronics Global – where experience meets innovation.

BX -MP

BackLED and BoxLED mounting profiles | Accessories for LED Modules for advertising and backlighting



Product family features

- Universally applicable mounting profile for single or double-sided light boxes
- Overall length: 2,000 mm

Product family benefits


- Can be easily shortened to any length
- Quick and easy mounting of the profile with self-tapping screws or pop rivets
- Quick and simple snap-in fixing of the LED modules, no tools required
- Robust aluminum profile

Areas of application

- Advertising and lettering
- Backlighting of single and double-sided light boxes

Technical data

Dimensions & weight



Length	2365 mm
Width	37.6 mm
Height	16.0 mm
Product weight	180.00 g

Logistical data

Commodity code	76169990990
----------------	-------------

Environmental information

Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH)	
Date of Declaration	26-09-2024
Primary Article Identifier	4008321981110
Declaration No. in SCIP database	In work
SCIP_STATUS	In work
SCIP_ID	

Equipment / Accessories

- BA-MP suitable for BackLED L, BoxLED XS
- BA-SM-MP suitable for BackLED S/M

Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4008321981110	BX -MP	Shipping carton box 24 Pieces			283.71 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.