

OT CABLE CLAMP D-STYLE TL

OPTOTRONIC Cable Clamp



Product family features

- Easy to install and flexible cable clamps
- Separate cable clamps for primary and secondary side
- Pre-fixed, captive screws
- Through-looping (TL version - max. 10A mains through wiring current)

Product family benefits

- Simple and quick cable mounting
- Sufficient space for cable connection
- Cost-effective and space-saving solution (TL version)
- Free cable connection thanks to open flaps
- Immediate installation thanks to pre-assembled cable clamps

Areas of application



- Downlights, flat luminaires
- Suitable for different cable types
- Suitable for indoor installations

Technical data

Electrical data

System wattage	0 W
----------------	-----

Dimensions & weight



Length	196.6 mm
Height	29.5 mm
Width	57.5 mm
Product weight	47.70 g
Mounting hole spacing, length	88.0 mm
Mounting hole spacing, width	34.0 mm

Temperatures & operating conditions

Permitted rel. humidity during operation	5...85 % ¹⁾
Temperature range at storage	-40...+85 °C

1) Maximum 56 days/year at 85 %

Certificates & standards

Type of protection	n/a
--------------------	-----

Logistical data

Commodity code	85369010000
Applicable region	APAC (excl. China, India, Japan) / CHINA / EUROPE / INDIA / MEA / SOUTH AMERICA

Environmental information

Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH)	
Date of Declaration	01-09-2026
Primary Article Identifier	4062172349185 6977770432109
Declaration No. in SCIP database	In work
SCIP_STATUS	In work
SCIP_ID	

Download Data

File		
CAD data 3-dim	PDF	▶ OT CABLE CLAMP D-STYLE TL 3-dim PDF
CAD data	UNKNOWN	▶ OT CABLE CLAMP D-STYLE TL IGS
CAD data	UNKNOWN	▶ OT CABLE CLAMP D-STYLE TL STEP
User instruction	PDF	▶ UI OT CABLE CLAMP D STYLE TL 190826

Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
6977770432109 INVENTRONICS	OT CABLE CLAMP D- STYLE TL	Shipping carton box 20 Pieces	294 x 184 x 75 mm	4.06 dm ³	55.20 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.