CPR30+

CPR30-USB | NFC Programming Interfaces



Product family features

- Standard USB interface
- Wireless programming of OPTOTRONIC® devices with the NFC interface
- Programming without applying mains voltage to the OPTOTRONIC® driver

Specifications are subject to changes without notice.

© 2026,Inventronics. All rights reserved.


Technical data

Electrical data

System wattage	0 W

© 2026,Inventronics. All rights reserved.

Dimensions & weight



Diameter	not relevant
Length	144.0 mm
Height	17.0 mm
Width	84.0 mm
Product weight	234.00 g

© 2026,Inventronics. All rights reserved.

Logistical data

Applicable region	Globally

Environmental information

Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACh)	
Date of Declaration	26-10-2026
Primary Article Identifier	6977078996945 | 6937186112378
Declaration No. in SCIP database	In work
SCIP_STATUS	In work
SCIP_ID	

Equipment / Accessories

- USB cable for connection to PC with Tuner4TRONIC™ software

© 2026,Inventronics. All rights reserved.

Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
6937186112378 FEIG ELECTRONIC	CPR30+	Shipping carton box 1 Pieces	151 x 150 x 116 mm	2.63 dm³	319.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit

References / Links

Tuner4TRONIC software available at https://www.inventronicsglobal.com/t4t

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.

© 2026,Inventronics. All rights reserved.