


## FX-QMS-G2 -CFTL-300

Recessed slim profile 16x12mm | Accessories for Flexible LED strips



### Product family features

- Can be easily combined with covers for homogeneous light distribution
- Clips for easy installation and maintenance
- Compatible with Linearlight Flex
- Ideal even for lighting in confined spaces
- Compatible with TEC Flex

### Product family benefits

- Plenty of freedom for attractive design and perfect functioning
- Quick and easy installation
- Aluminum profile robust and corrosion-resistant thanks to anodization
- Minimum installation dimensions thanks to compact design

## Technical data

### Dimensions & weight

|                   |          |
|-------------------|----------|
| Length US         | 118.1 in |
| Width US          | 0.51 in  |
| Height US         | 0.16 in  |
| Product weight US | 2.06 oz  |

## Logistical data

|                   |                                                                                         |
|-------------------|-----------------------------------------------------------------------------------------|
| Box composition   | 1                                                                                       |
| Applicable region | APAC (excl. China, India, Japan) / CHINA / EUROPE / INDIA / MEA / NAFTA / SOUTH AMERICA |

## Environmental information

| Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH) |               |
|-----------------------------------------------------------------------|---------------|
| Date of Declaration                                                   | 01-09-2026    |
| Primary Article Identifier                                            | 6937186131744 |
| Declaration No. in SCIP database                                      | In work       |
| SCIP_ID                                                               |               |

## Download Data

| File           |            |                                     |
|----------------|------------|-------------------------------------|
| CAD data 2-dim | Compressed | ▶ FX QMS G1 CFTL 300 2D CAD 230625  |
| CAD data 3-dim | Compressed | ▶ FX QMS G2 CFTL 300 3D CAD 230625  |
| CAD data       | UNKNOWN    | ▶ FX-QMS-G2-CFTL-300   STEP         |
| CAD data PDF   | Compressed | ▶ FX QMS G2 CFTL 300 JPG CAD 230625 |

## Logistical Data

| Product code                  | Product description | Packaging unit<br>(Pieces/Unit)  | Dimensions (length<br>x width x height) | Volume               | Gross weight |
|-------------------------------|---------------------|----------------------------------|-----------------------------------------|----------------------|--------------|
| 6937186131744<br>INVENTRONICS | FX-QMS-G2 -CFTL-300 | Shipping carton box<br>40 Pieces | 119.29 x 4.53 x 2.56<br>in              | 0.80 ft <sup>3</sup> | 2.68 oz      |

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit

## Accessories Optional

| Product description | Accessory name                  | Accessory code  |
|---------------------|---------------------------------|-----------------|
| FX-QMS-G2 -CFTL-300 | FX-QMS-G1 -EFGP-TU15H6W3        | ▶ 6937186126726 |
| FX-QMS-G2 -CFTL-300 | FX-QMS-G2 -EFGP-TU16H12LS       | ▶ 6937186126764 |
| FX-QMS-G2 -CFTL-300 | FX-QMS-G2 -EFGH-TU16H12LS       | ▶ 6937186126788 |
| FX-QMS-G2 -CFTL-300 | FX-QMS-G2 -EFGH-TU15H6          | ▶ 6937186130822 |
| FX-QMS-G2 -CFTL-300 | FX-QMS-G2 -EFGP-TU15H6          | ▶ 6937186130846 |
| FX-QMS-G2 -CFTL-300 | FX-QMS-G2 -EFGH-TU16H12W3 KIT40 | ▶ 6937186130884 |
| FX-QMS-G2 -CFTL-300 | FX-QMS-G2 -EFGP-TU16H12W3 KIT40 | ▶ 6937186130907 |
| FX-QMS-G2 -CFTL-300 | FX-QMS-G2 -EFGP-TU15H6W3        | ▶ 6937186130921 |
| FX-QMS-G2 -CFTL-300 | FX-QMS-G2 -EFGP-T45D19H19 KIT40 | ▶ 6937186131720 |
| FX-QMS-G2 -CFTL-300 | FX-QMS-G2 -EFGH-T45D19H19 KIT40 | ▶ 6937186133632 |