

Document number:

2023 / 9C1-3770568-EN-07

2014/53/EU and amendments

The conformity of the designated product(s) with the provisions of this European Directive is given by the compliance with the following European Standard(s) or other specifications.

If not elsewhere/otherwise indicated the edition/amendment as referenced below applies.

ETSI EN 300 330 V2.1.1	Short Range Devices (SRD) Radio equipment in the frequency range 9 kHz to 25 MHz and inductive loop systems in the frequency range 9 kHz to 30 MHz
ETSI EN 301 489-3 V2.1.1:	ElectroMagnetic Compatibility (EMC) standard for radio equipment and services; Part 3: Specific conditions for Short-Range Devices (SRD) operating on frequencies between 9 kHz and 246 GHz; Harmonised Standard covering the essential requirements of article 3.1(b) of Directive 2014/53/EU
ETSI EN 301 489-1 V2.2.1 (2019-03)	ElectroMagnetic Compatibility (EMC) standard for radio equipment and services; Part 1: Common technical requirements; Harmonised Standard for ElectroMagnetic Compatibility
EN 61547: 2009	Equipment for general lighting purposes — EMC immunity requirements
EN 61000-3-2: 2014	Electromagnetic compatibility (EMC) — Part 3-2: Limits — Limits for harmonic current emissions (equipment input current ≤ 16 A per phase)
EN IEC 61000-3-2:2019	Electromagnetic compatibility (EMC) — Part 3-2: Limits — Limits for harmonic current emissions (equipment input current ≤ 16 A per phase)
EN 61000-3-3: 2013	Electromagnetic compatibility (EMC) — Part 3-3: Limits — Limitation of voltage changes, voltage fluctuations and flicker in public low voltage supply systems, for equipment with rated current ≤ 16 A per phase and not subjected to conditional connection
EN 61000-3-3:2013 + A1:2019	Electromagnetic compatibility (EMC) — Part 3-3: Limits — Limitation of voltage changes, voltage fluctuations and flicker in public low voltage supply systems, for equipment with rated current ≤ 16 A per phase and not subjected to conditional connection
EN 55015:2019	Limits and methods of measurement of radio disturbance characteristics of electrical lighting and similar equipment
EN IEC 55015:2019 + A11:2020	Limits and methods of measurement of radio disturbance characteristics of electrical lighting and similar equipment
EN 61347-2-13: 2014	Lamp controlgear — Part 2-13: Particular requirements for d. c. or a. c. supplied electronic controlgear for LED modules
EN 61347-2-13:2014 + A1:2017	Lamp controlgear — Part 2-13: Particular requirements for d. c. or a. c. supplied electronic controlgear for LED modules
EN 61347-1: 2015	Lamp— Part 1: General and safety requirements
EN 61347-1:2015 + A1:2021	Lamp controlgear — Part 1: General and safety requirements

Document number: 2023 / 9C1-3770568-EN-07

2009/125/EC and amendments

The conformity of the designated product(s) with the provisions of this European Directive is given by the compliance with the following European Standard(s) or other specifications.
If not elsewhere/otherwise indicated the edition/amendment as referenced below applies.

(EU) 2019/2020 and amendments

The conformity of the designated product(s) with the provisions of this European Directive is given by the compliance with the following European Standard(s) or other specifications.
If not elsewhere/otherwise indicated the edition/amendment as referenced below applies.

EN IEC 62442-3:2018	Energy performance of lamp controlgear – Part 3: Controlgear for tungsten-halogen lamps and LED light sources – Method of measurement to determine the efficiency of controlgear
----------------------------	--

2011/65/EU and amendments

The conformity of the designated product(s) with the provisions of this European Directive is given by the compliance with the following European Standard(s) or other specifications.
If not elsewhere/otherwise indicated the edition/amendment as referenced below applies.

EN IEC 63000:2018	Technical documentation for the assessment of electrical and electronic products with respect to the restriction of hazardous substances
--------------------------	--

List of models:

- OTi DX 25/220-240/700 NFC
- OTi DX 35/220-240/1A0 NFC
- OTi DX 50/220-240/1A4 NFC

- OTi DALI 25/220-240/700 NFC
- OTi DALI 35/220-240/1A0 NFC
- OTi DALI 50/220-240/1A4 NFC
-
- OTI DALI 25/220–240/700 NFC CCTL
- OTI DALI 35/220–240/1A0 NFC CCTL
- OTI DALI 50/220–240/1A4 NFC CCTL