UK Declaration of Conformity

y inventronics

Document number: 2023 / 9C1-4283156-EN-01

Manufacturer or representative: Inventronics GmbH

Address: Parkring 31-33

85748 Garching by Munich

Germany

Brand name or trade mark: OSRAM

Product type: LMS (Light Management Systems)

Product designation: DALI PRO CONT-4 RTC

The designated product(s) is (are) in conformity with the relevant legislation:

2014/35/EU and amendments

Directive of the European Parliament and of the Council of 26 February 2014 on the harmonization of the laws of the Member States relating to the making available on the market of electrical equipment designed for use within certain voltage limits; Official

Journal of the EU L96, 29/03/2014, p. 357-374)

2014/30/EU and amendments

Directive of the European Parliament and of the Council of 26 February 2014 on the harmonization of the laws of the Member States relating to electromagnetic compatibility;

Official Journal of the EU L96, 29/03/2014, p. 79-106

2011/65/EU and amendments

Directive of the European Parliament and of the Council of 8 June 2011 on the restriction of the use of certain hazardous substances in electrical and electronic equipment; Official

Journal of the EU L174, 1/07/2011, p. 88-110

Last two digits of the year in which the UKCA marking was affixed: 23

DS EMA QM

Place and date of signatures: Garching, the 2023-09-18

Quality Management

Signatures:

Quality Assurance

Names: Mr. Luca Bordin

Mr. Bernhard Schemmel

UK importer: INVENTRONICS UK LTD, 2 New Bailey, 6 Stanley Street, Salford, Greater Manchester, M3 5GS, United Kingdom.

This declaration of conformity is issued under the sole responsibility of the manufacturer or representative. It confirms compliance with the indicated statutory instruments but implies no warranty of properties.

UK Declaration of Conformity



Document number: 2023 / 9C1-4283156-EN-01

2014/35/EU and amendments

The conformity of the designated product(s) with the provisions of this statutory instrument is given by the compliance with the following standard(s) or other specifications.

If not elsewhere/otherwise indicated the edition/amendment as referenced below applies.

2014/30/EU and amendments

The conformity of the designated product(s) with the provisions of this statutory instrument is given by the compliance with the following standard(s) or other specifications.

If not elsewhere/otherwise indicated the edition/amendment as referenced below applies.

EN IEC 55015:2019 + A11:2020 Limits and methods of measurement of radio disturbance characteristics of

electrical lighting and similar equipment

EN 61000-3-2: 2014 Electromagnetic compatibility (EMC) — Part 3-2: Limits — Limits for harmonic

current emissions (equipment input current ≤ 16 A per phase)

Electromagnetic compatibility (EMC) — Part 3-3: Limits — Limitation of voltage EN 61000-3-3: 2013

changes, voltage fluctuations and flicker in public low voltage supply systems, for equipment with rated current ≤ 16 A per phase and not subjected to conditional

EN 61547: 2009 Equipment for general lighting purposes — EMC immunity requirements

2011/65/EU and amendments

The conformity of the designated product(s) with the provisions of this statutory instrument is given by the compliance with the following standard(s) or other specifications.

If not elsewhere/otherwise indicated the edition/amendment as referenced below applies.

EN IEC 63000:2018 Technical documentation for the assessment of electrical and electronic products

with respect to the restriction of hazardous substances

List of additional Standards the product is compliant to:

EN 60950-1: 2006 + A11:2009 + Information technology equipment – Safety – Part 1: General requirements

A1:2010 + A12:2011 + AC:2011

EN IEC 61000-3-2:2019

+ A2:2013

Electromagnetic compatibility (EMC) — Part 3-2: Limits — Limits for harmonic

current emissions (equipment input current ≤ 16 A per phase)

EN 61000-3-3:2013 + A1:2019 Electromagnetic compatibility (EMC) — Part 3-3: Limits — Limitation of voltage

changes, voltage fluctuations and flicker in public low voltage supply systems, for equipment with rated current ≤ 16 A per phase and not subjected to conditional

connection

List of models:

DALI PRO CONT-4 RTC