

CERTIFICATE

No. U6 120825 0014 Rev. 00

Holder of Certificate: Inventronics GmbH

Parkring 31-33
85748 Garching by Munich
GERMANY

Certification Mark:




Product: LED Module

The product was voluntarily tested according to the listed standards. The product can be marked with the certification mark shown above. It is not permitted to alter the certification mark in any way. In addition, the certificate holder must not transfer the certificate to third parties. All applicable requirements of the testing and certification regulations of TÜV SÜD Group have to be complied. For details see: www.tuvsud.com/ps-cert

Test report no.: 64142235013201

Date, 2023-06-30



(Taylor Yao)



CERTIFICATE

No. U6 120825 0014 Rev. 00

Model(s):

- PL-CN111-COB-2800-830-15D-G2;
- PL-CN111-COB-2800-840-15D-G2;
- PL-CN111-COB-2800-865-15D-G2;
- PL-CN111-COB-2800-927-15D-G2;
- PL-CN111-COB-2800-930-15D-G2;
- PL-CN111-COB-2800-935-15D-G2;
- PL-CN111-COB-2800-940-15D-G2;
- PL-CN111-COB-2800-930UW-15D-G2;
- PL-CN111-COB-2800-935UW-15D-G2;
- PL-CN111-COB-2800-830-24D-G2;
- PL-CN111-COB-2800-840-24D-G2;
- PL-CN111-COB-2800-865-24D-G2;
- PL-CN111-COB-2800-927-24D-G2;
- PL-CN111-COB-2800-930-24D-G2;
- PL-CN111-COB-2800-935-24D-G2;
- PL-CN111-COB-2800-940-24D-G2;
- PL-CN111-COB-2800-930UW-24D-G2;
- PL-CN111-COB-2800-935UW-24D-G2;
- PL-CN111-COB-2800-830-40D-G2;
- PL-CN111-COB-2800-840-40D-G2;
- PL-CN111-COB-2800-865-40D-G2;
- PL-CN111-COB-2800-927-40D-G2;
- PL-CN111-COB-2800-930-40D-G2;
- PL-CN111-COB-2800-935-40D-G2;
- PL-CN111-COB-2800-940-40D-G2;
- PL-CN111-COB-2800-930UW-40D-G2;
- PL-CN111-COB-2800-935UW-40D-G2;
- PL-CN111-COB-4300-830-24D-G2;
- PL-CN111-COB-4300-840-24D-G2;
- PL-CN111-COB-4300-865-24D-G2;
- PL-CN111-COB-4300-927-24D-G2;
- PL-CN111-COB-4300-930-24D-G2;
- PL-CN111-COB-4300-935-24D-G2;
- PL-CN111-COB-4300-940-24D-G2;
- PL-CN111-COB-4300-930UW-24D-G2;
- PL-CN111-COB-4300-935UW-24D-G2;
- PL-CN111-COB-4300-830-40D-G2;
- PL-CN111-COB-4300-840-40D-G2;
- PL-CN111-COB-4300-865-40D-G2;
- PL-CN111-COB-4300-927-40D-G2;
- PL-CN111-COB-4300-930-40D-G2;
- PL-CN111-COB-4300-935-40D-G2;
- PL-CN111-COB-4300-940-40D-G2;
- PL-CN111-COB-4300-930UW-40D-G2;
- PL-CN111-COB-4300-935UW-40D-G2;
- PL-CN111-COB-4300-830-60D-G2;
- PL-CN111-COB-4300-840-60D-G2;
- PL-CN111-COB-4300-865-60D-G2;
- PL-CN111-COB-4300-927-60D-G2;
- PL-CN111-COB-4300-930-60D-G2;
- PL-CN111-COB-4300-935-60D-G2;
- PL-CN111-COB-4300-940-60D-G2;
- PL-CN111-COB-4300-930UW-60D-G2;
- PL-CN111-COB-4300-935UW-60D-G2;



CERTIFICATE

No. U6 120825 0014 Rev. 00

Brand Name: OSRAM

OSRAM

Parameters:

Rated Supply Current: See below table for details

Rated Power: See below table for details

Method of Installation: Built-in

Blue Light Risk Group: RG2

tc: See below table for details

Tested EN IEC 62031:2020/A11:2021

according to:

Production 101562

Facility(ies):

CERTIFICATE

No. U6 120825 0014 Rev. 00

Model No.	Rated Supply Current (mA)	Rated Power (W)	tc (°C)
PL-CN111-COB-2800-830-15D-G2	700	25.3	90
PL-CN111-COB-2800-840-15D-G2			
PL-CN111-COB-2800-865-15D-G2			
PL-CN111-COB-2800-927-15D-G2			
PL-CN111-COB-2800-930-15D-G2			
PL-CN111-COB-2800-935-15D-G2			
PL-CN111-COB-2800-940-15D-G2			
PL-CN111-COB-2800-930UW-15D-G2			
PL-CN111-COB-2800-935UW-15D-G2			
PL-CN111-COB-2800-830-24D-G2			
PL-CN111-COB-2800-840-24D-G2			
PL-CN111-COB-2800-865-24D-G2			
PL-CN111-COB-2800-927-24D-G2			
PL-CN111-COB-2800-930-24D-G2			
PL-CN111-COB-2800-935-24D-G2			
PL-CN111-COB-2800-940-24D-G2			
PL-CN111-COB-2800-930UW-24D-G2			
PL-CN111-COB-2800-935UW-24D-G2			
PL-CN111-COB-2800-830-40D-G2			
PL-CN111-COB-2800-840-40D-G2			
PL-CN111-COB-2800-865-40D-G2			
PL-CN111-COB-2800-927-40D-G2			
PL-CN111-COB-2800-930-40D-G2			
PL-CN111-COB-2800-935-40D-G2			
PL-CN111-COB-2800-940-40D-G2			
PL-CN111-COB-2800-930UW-40D-G2			
PL-CN111-COB-2800-935UW-40D-G2			



CERTIFICATE

No. U6 120825 0014 Rev. 00

PL-CN111-COB-4300-830-24D-G2			
PL-CN111-COB-4300-840-24D-G2			
PL-CN111-COB-4300-865-24D-G2			
PL-CN111-COB-4300-927-24D-G2			
PL-CN111-COB-4300-930-24D-G2			
PL-CN111-COB-4300-935-24D-G2			
PL-CN111-COB-4300-940-24D-G2			
PL-CN111-COB-4300-930UW-24D-G2			
PL-CN111-COB-4300-935UW-24D-G2			
PL-CN111-COB-4300-830-40D-G2			
PL-CN111-COB-4300-840-40D-G2			
PL-CN111-COB-4300-865-40D-G2			
PL-CN111-COB-4300-927-40D-G2			
PL-CN111-COB-4300-930-40D-G2	1050	36.7	100
PL-CN111-COB-4300-935-40D-G2			
PL-CN111-COB-4300-940-40D-G2			
PL-CN111-COB-4300-930UW-40D-G2			
PL-CN111-COB-4300-935UW-40D-G2			
PL-CN111-COB-4300-830-60D-G2			
PL-CN111-COB-4300-840-60D-G2			
PL-CN111-COB-4300-865-60D-G2			
PL-CN111-COB-4300-927-60D-G2			
PL-CN111-COB-4300-930-60D-G2			
PL-CN111-COB-4300-935-60D-G2			
PL-CN111-COB-4300-940-60D-G2			
PL-CN111-COB-4300-930UW-60D-G2			
PL-CN111-COB-4300-935UW-60D-G2			