inventronics

Document number:	2025 / 9C1-4473377-EN-03
Manufacturer or representative:	Inventronics GmbH
Address:	Parkring 31-33 85748 Garching b. Munich Germany
Brand name or trade mark:	OSRAM / Inventronics
Product type:	Controlgear
Product designation:	IT DIM xx / HF LS/PD KIT-family, see attached list of models

The designated product(s) is (are) in conformity with the relevant Union harmonisation legislation:

2014/53/EU and amendments	Directive of the European Parliament and of the Council of 16 April 2014 on the harmonisation of the laws of the Member States relating to the making available on the market of radio equipment and repealing Directive 1999/5/EC (applicable from 2016-06-13) Official Journal of the 2017/C 076/ 04
2009/125/EC and amendments	Directive of the European Parliament and of the Council of 21 October 2009 establishing a framework for the setting of ecodesign requirements for energy-related products
(EU) 2019/2020 and amendments	COMMISSION REGULATION (EU) 2019/2020 of 1 October 2019 laying down ecodesign requirements for light sources and separate control gears pursuant to Directive 2009/125/EC of the European Parliament and of the Council and repealing Commission Regulations (EC) No 244/2009, (EC) No 245/2009 and (EU) No 1194/2012
2011/65/EU and amendments	Directive of the European Parliament and of the Council of 8 June 2011 on the restriction of the use of certain hazardous substances in electrical and electronic equipment; Official Journal of the EU L174, 1/07/2011, p. 88-110

Last two digits of the year in which the CE marking was affixed: 23

Place and date of signatures: Munich, the 2025-01-24

Signatures:

Names:

EMAQM

Quality Management

Mr. Luca Bordin

Quality Assurance

Mr. Bernhard Schemmel

Customer service contact: Inventronics GmbH, Berliner Allee 65, 86153 Augsburg, Germany. This declaration of conformity is issued under the sole responsibility of the manufacturer or representative. It confirms compliance with the indicated Directives but implies no warranty of properties.

inventronics

Document number:

2025 / 9C1-4473377-EN-03

2009/125/EC and amendments

The conformity of the designated product(s) with the provisions of this European Directive is given by the compliance with the following European Standard(s) or other specifications. If not elsewhere/otherwise indicated the edition/amendment as referenced below applies.

(EU) 2019/2020 and amendments

The conformity of the designated product(s) with the provisions of this European Directive is given by the compliance with the following European Standard(s) or other specifications.

If not elsewhere/otherwise indicated the edition/amendment as referenced below applies.

EN IEC 62442-3:2022	Energy performance of lamp controlgear –Part 3: Controlgear for halogen lamps and LED modules – Method of measurement to determine the efficiency of the controlgear

2011/65/EU and amendments

The conformity of the designated product(s) with the provisions of this European Directive is given by the compliance with the following European Standard(s) or other specifications.

If not elsewhere/otherwise indicated the edition/amendment as referenced below applies.

EN IEC 63000:2018

Technical documentation for the assessment of electrical and electronic products with respect to the restriction of hazardous substances

inventronics

Document number:

2025 / 9C1-4473377-EN-03

2014/53/EU and amendments

The conformity of the designated product(s) with the provisions of this European Directive is given by the compliance with the following European Standard(s) or other specifications. If not elsewhere/otherwise indicated the edition/amendment as referenced below applies.

EN 61000-3-2: 2014	Electromagnetic compatibility (EMC) — Part 3-2: Limits — Limits for harmonic current emissions (equipment input current ≤ 16 A per phase)
EN IEC 61000-3-2:2019 +A1:2021	Electromagnetic compatibility (EMC) — Part 3-2: Limits — Limits for harmonic current emissions (equipment input current ≤ 16 A per phase)
EN 61000-3-3: 2013	Electromagnetic compatibility (EMC) — Part 3-3: Limits — Limitation of voltage changes, voltage fluctuations and flicker in public low voltage supply systems, for equipment with rated current \leq 16 A per phase and not subjected to conditional connection
EN 61000-3-3:2013 + A1:2019 +A2:2021	Electromagnetic compatibility (EMC) — Part 3-3: Limits — Limitation of voltage changes, voltage fluctuations and flicker in public low voltage supply systems, for equipment with rated current \leq 16 A per phase and not subjected to conditional connection
EN IEC 55015:2019 + A11:2020	Limits and methods of measurement of radio disturbance characteristics of electrical lighting and similar equipment
EN 61547: 2009	Equipment for general lighting purposes — EMC immunity requirements
EN IEC 61547: 2023	Equipment for general lighting purposes — EMC immunity requirements
EN 61347-2-13: 2014	Lamp controlgear — Part 2-13: Particular requirements for d. c. or a. c. supplied electronic controlgear for LED modules
EN 61347-2-13:2014 + A1:2017	Lamp controlgear — Part 2-13: Particular requirements for d. c. or a. c. supplied electronic controlgear for LED modules
EN 61347-1: 2015	Lamp controlgear — Part 1: General and safety requirements
EN 61347-1:2015 + A1:2021	Lamp controlgear — Part 1: General and safety requirements
ETSI EN 301 489-3 V2.3.2	ElectroMagnetic Compatibility (EMC) standard for radio equipment and services; Part 3: Specific conditions for Short-Range Devices (SRD) operating on frequencies between 9 kHz and 246 GHz; Harmonised Standard covering the essential requirements of article 3.1(b) of Directive 2014/53/EU
ETSI EN 300 440 V2.2.1	Short Range Devices (SRD); Radio equipment to be used in the 1 GHz to 40 GHz frequency range; Harmonised Standard for access to radio spectrum
EN 50663:2017	Generic standard for assessment of low power electronic and electrical equipment related to human exposure restrictions for electromagnetic fields (10 MHz - 300 GHz)

inventronics

Document number:

2025 / 9C1-4473377-EN-03

List of models:

- IT DIM 40 / HF LS/PD KIT
- IT DIM 60 / HF LS/PD KIT
- IT DIM 40/220-240/350 D CS SD L
 HF LS/PD LI SD
- IT DIM 60/220-240/350 D CS SD L
- HF LS/PD LI SD
- IT DIM 75 / HF LS/PD KIT
- IT DIM 75/220-240/550 D CS SD L
- HF LS/PD LI SD